



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/674,242	10/27/2000	Susumu Hizukuri		4962

4678 7590 09/09/2005

MACCORD MASON PLLC  
300 N. GREENE STREET, SUITE 1600  
P. O. BOX 2974  
GREENSBORO, NC 27402

EXAMINER

LEWIS, PATRICK T

ART UNIT	PAPER NUMBER
----------	--------------

1623

DATE MAILED: 09/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/674,242

Applicant(s)

HIZUKURI ET AL.

Examiner

Patrick T. Lewis

Art Unit

1623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 August 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,4,7,8,10 and 11 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,2,4,7,8,10 and 11 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 October 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 07222005.
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_.

## **DETAILED ACTION**

### ***Request for Continued Examination***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on July 22, 2005 has been entered.

### ***Applicant's Response Dated July 22, 2005***

2. In the Response filed July 22, 2005, claims 2 and 4 were amended; claims 3, 5-6, and 9 were canceled. Claims 1-2, 4, 7-8, and 10-11 are pending. An action on the merits of claims 1-2, 4, 7-8, and 10-11 is contained herein below.

3. The rejection of claims 2 and 4 under 35 U.S.C. 112, second paragraph, has been rendered moot in view of applicant's amendment dated July 22, 2005.

4. The rejection of claims 1-2, 4, 7 and 10-11 under 35 U.S.C. 103(a) as being unpatentable over Weibel US 4,831,127 (Weibel); Vovlas et al. Revue. Nematol. (1985), Vol. 8 (2), pages 125-130 (Vovlas); and Arena et al. US 4,752,579 (Arena) in combination is maintained for the reasons of record set forth in the Office Action dated April 21, 2005.

Art Unit: 1623

5. The rejection of claim 8 under 35 U.S.C. 103(a) as being unpatentable over Weibel US 4,831,127 (Weibel); Vovlas et al. Revue. Nematol. (1985), Vol. 8 (2), pages 125-130 (Vovlas); and Arena et al. US 4,752,579 (Arena) in combination as applied to claims 1-2, 4, 7 and 10-11 above, and further in view of Gatzki et al. Hel. Chim. Acta. (1938), Vol. 21, pages 195-205 (Gatzki) is maintained for the reasons of record set forth in the Office Action dated April 21, 2005.

***Rejections of Record Set Forth in the Office Action Dated April 21, 2005***

6. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

7. Claims 1-2, 4, 7 and 10-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Weibel US 4,831,127 (Weibel); Vovlas et al. Revue. Nematol. (1985), Vol. 8 (2), pages 125-130 (Vovlas); and Arena et al. US 4,752,579 (Arena) in combination.

Claims 1-2, 4, 7 and 10-11 are drawn to a process for the manufacture of L-arabinose characterized in that envelopes of corn grains are contacted with sulfuric acid or hydrochloric acid wherein the concentration of acid is 0.01 N to 0.05 N, or with oxalic acid with a concentration of 0.01 N to 1.0 N, without previously contacting the envelopes of corn grain with an alkaline medium, wherein an acidic hydrolysis is carried out under such conditions that the proportion of L-arabinose in the total amount of the acid-hydrolyzed monosaccharides is 50% or more and L-arabinose contained in the envelopes of corn grain is selectively produced.

Weibel teaches a method for isolating biopolymers from parenchymal cell-containing plant materials, especially sugar beet and citrus pulp. Weibel teaches the beet pulp being made into a slurry of about 4 to 12% total solids and then hydrolyzed under mild acidic conditions wherein the concentration of the acid (HCl) was 0.01 N to 0.15 N (column 17, lines 48-57). The pulp material was recovered quantitatively with 50% being in a particulate form and 50% solubilized (column 14, lines 16-19). After hydrolysis and removal of solid particulates, the solution is concentrated containing about 50% arabinogalactan, about 40% pectin and about 10% other polymers (column 14, lines 28-37). Arabinogalactan and pectin were estimated by the concentration of L-arabinose plus D-galactose and D-galacturonic acid respectively (column 16, lines 34-37).

According to a most preferred embodiment, both hemicellulosic and cellulosic components of sugar beet pulp or other parenchymal cell-containing plant material are isolated essentially simultaneously without substantial degradation of either component (columns 6-8). Hydrolysis is accomplished at a temperature above room temperature for a period of time sufficient to liberate pectin and arabinogalactan from the sugar beet pulp but which is not sufficient to substantially degrade the same. It is preferred that a temperature greater than about 125 C is employed. As will be appreciated by those skilled in the art, reaction times which are sufficient to liberate hemicellulosic components from sugar beet pulp, pectin and arabinogalactans will vary depending on pH employed and the reaction temperature. As will also be understood by those skilled in the art, wide combination of pH's, reaction time and temperature will be satisfactory

Art Unit: 1623

for performing the disclosed methods. Such persons will appreciate that variations of such parameters may be employed to modify the total output of hemicellulosic materials to be produced in accordance with the described methods.

Weibel differs from the instantly claimed invention in that Weibel does not the use of envelopes of corn as the arabinose-containing plant material; however, it would have been obvious to one of ordinary skill in the art at the time of the invention to use envelopes of corn in view of the teachings of Vovlas and Arena.

Vovlas teaches that corn is a parenchymal cell-containing plant material (page 129, column 2).

Arena teaches a source of cellulose in corn kernel hulls, a waste product of corn milling operations, which contains little or no lignin (column 1, lines 40-65). Consequently, corn kernel hulls can be hydrolyzed in high yield without any delignifying pretreatment to afford a mixture which is mainly D-glucose, D-xylose, and L-arabinose. Recognizing the advantages accruing from an abundant source of cellulose which requires no delignification pretreatment to make cellulose available to hydrolytic agents, Arena has developed several variants on a theme of hydrolyzing corn kernel hulls to a mixture of monosaccharides. A typical analysis of corn kernel hulls shows about 20% starch, about 30% cellulose, about 30% hemicellulose, about 10% protein, and less than 5% lignin (column 2, lines 32-65). Consequently, corn kernel hulls act differently from typical lignocellulosics in not requiring delignification in order to hydrolyze the cellulose and hemicellulose components. In acid hydrolysis of corn kernel hulls, the yield of glucose is quite temperature dependent, whereas the yield of the pentoses, D-

Art Unit: 1623

xylose and arabinose, is relatively invariant. This permits a degree of control of hydrolysate content. One embodiment of Arena comprises hydrolyzing corn kernel hulls with a strong acid at a temperature range of about 80 to 110 C, subsequent enzymatic hydrolysis of the hydrolysate, and recovering the resulting enzymatic hydrolysate (column 3, lines 13-28). Among the strong acids which may be used are sulfuric acid, hydrochloric acid, and phosphoric acid. Arena further teaches the preferential production of arabinose (column 5, lines 50-58).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use envelopes of corn as the arabinose source in method of Weibel since Weibel teaches that other parenchymal cell-containing plant materials other than beet and citrus pulp may be employed. One of ordinary skill in the art at the time of the invention would have been well aware of other parenchymal cell-containing plant materials containing extractable arabinose. One would have been motivated to do so because of its ready availability and since it was known in the art at the time of the invention that corn kernel hulls can be hydrolyzed in high yield without any delignifying pretreatment to afford a mixture which is mainly D-glucose, D-xylose, and L-arabinose.

8. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Weibel US 4,831,127 (Weibel); Vovlas et al. *Revue. Nematol.* (1985), Vol. 8 (2), pages 125-130 (Vovlas); and Arena et al. US 4,752,579 (Arena) in combination as applied to claims 1-2, 4, 7 and 10-11 above, and further in view of Gatzi et al. *Hel. Chim. Acta.* (1938), Vol. 21, pages 195-205 (Gatzi).

Claim 8 is drawn to a process for the manufacture of L-arabitol comprising hydrogenating a solution containing L-arabinose.

Gatzi teaches the catalytic hydrogenation of L-arabinose using Raney Ni and H<sub>2</sub> to produce L-arabitol (English Abstract).

It would have been obvious to produce L-arabitol by hydrogenating a solution containing L-arabinose since such method is expressly taught in the prior art. The method by which the L-arabinose was produced does not render the instant method for producing L-arabitol unobvious.

### ***Response to Arguments***

9. Applicant's arguments filed July 22, 2005 have been fully considered but they are not persuasive. Applicant argues one of ordinary skill in the art would not be motivated to combine the teachings of Weibel and Arena. Applicant contends that the techniques of Weibel and Arena are completely contrary to one another. Applicant also contends that in terms of temperature, the condition shown in Weibel is severe. Applicant further contends that Arena never teaches manufacturing L-arabinose separately from D-xylose.

The examiner disagrees with applicant's characterization of the art of record. In regards to the temperature ranges taught by Weibel, applicant should note that the instant methods are not limited by temperature. Additionally, contrary to applicant's assertion, Weibel teaches that according to a most preferred embodiment, both hemicellulosic and cellulosic components of sugar beet pulp or other parenchymal cell-



Art Unit: 1623

containing plant material are isolated essentially simultaneously without substantial degradation of either component (columns 6-8). Hydrolysis is accomplished at a temperature above room temperature for a period of time sufficient to liberate pectin and arabinogalactan from the sugar beet pulp but which is not sufficient to substantially degrade the same. It is preferred that a temperature greater than about 125 C is employed. As will also be understood by those skilled in the art, wide combination of pH's, reaction time and temperature will be satisfactory for performing the disclosed methods. Such persons will appreciate that variations of such parameters may be employed to modify the total output of hemicellulosic materials to be produced in accordance with the described methods. Furthermore, on page 7 of the instant specification, applicant discloses that temperatures between 80-150 C are suitable for practicing the instant invention.

In regards to applicant's assertion that Arena never teaches manufacturing L-arabinose separately from D-xylose, applicant's attention is directed to Fig. 1 and column 3, lines 53-65. Arena teaches that the reaction product from acid hydrolysis is separated into a liquid portion and a solid portion. The monosaccharides of the liquid portion are chiefly D-glucose, D-xylose, and L-arabinose, and the liquid portion may be separately processed to isolate and purify one or more of the constituent monosaccharides.

The methods of Weibel and Arena are not contrary to one another. Neither of the methods requires prior contact with an alkaline medium. Both methods teach acid hydrolysis using hydrochloric or sulfuric acid with a concentration within the range of

Art Unit: 1623

0.01 N to 1.0 N. Weibel teaches the use of 0.01 N to 0.15 N HCl (column 17, lines 48-57), and Arena teaches the use of 0.10 N to 3.1 N H<sub>2</sub>SO<sub>4</sub> (column 3, lines 26-28). As explicitly taught by Weibel, It would be understood by those skilled in the art, that a wide combination of pH's, reaction time and temperature will be satisfactory for performing the disclosed methods. Such persons will appreciate that variations of such parameters may be employed to modify the total output of hemicellulosic materials to be produced in accordance with the described methods. "[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." *In re Aller*, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955).

### ***Conclusion***


10. Claims 1-2, 4, 7-8, and 10-11 are pending. Claims 1-2, 4, 7-8, and 10-11 are rejected. No claims are allowed.

**Contacts**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick T. Lewis whose telephone number is 571-272-0655. The examiner can normally be reached on Monday - Friday 10 am to 3 pm (Maxi Flex).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James O. Wilson can be reached on 571-272-0661. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Patrick T. Lewis, PhD  
Examiner  
Art Unit 1623

ptl